(ബി) ഇതിൽ ഫുൾ കേസുകൾ നെല്ലെടുപ്പുദ്യോഗസ്ഥന്മാരും, ൽസ്യ കേസുകൾ പോലീസും കണ്ടുപിടിച്ചു. ബാക്കിയുള്ള കേസുകൾ പൊതുജനങ്ങളും, എക്സൈസ്സ് ഉദ്യോഗസ്ഥന്മാരും കണ്ടുപിടിച്ചിട്ടുള്ളതാണ്.

(സി) ഇല്ല.

ELECTRICITY TO VETCHUR, VADAYAR, ETC.

***1090.** [48] **Sri. P. Gopalan:** Will the Hon'ble Minister for Public Works and Communications be pleased to state:—

(*a*) whether there is a proposal for supplying current to Vadayar, Talayazham and Vetchoor Kari lands for pumping purposes;

(*b*) if the answer to part (*a*) is in the affirmative, how far has it progressed?

Chief Minister **(Sri. C. Kesavan):**

(*a*) No. There is only a proposal to open new centres near Vaikom and that is under consideration. This will facilitate supply of electricity to Vadayar.

(*b*) Does not arise.

LIFT IRRIGATION WORKS

***1091.** [62] **Sri. N. V. Chacko:** Will the Hon'ble Minister for Public Works, Irrigation, etc. be pleased to state:—

(*a*) whether Government have been pleased to include Aikkaranad and Poothrikka among the Lift Irrigation Works selected for 1950-51;

(*b*) whether any work has been started in these two places;

(*c*) whether electric wires have been extended to these two places;

(*d*) whether necessary canals have been cut in these two places;

(*e*) whether the exemption of the lift irrigation to Poothrikka has been given up permanently or stopped temporarily against the original plans and schemes of the Government;

(*f*) if so, what are the reasons for not extending the scheme up to and in Poothrikka also?

Chief Minister **(Sri. C. Kesavan):**

(*a*) Yes.

(*b*) Work has been started in Aikkaranad.

(*c*) Lines are being extended to Aikkaranad pumping house.

(*d*) Channels for a length of 10,000 feet have been dug for Aikkaranad Scheme.

(*e*) The work has been stopped temporarily.

(*f*) The extension of the channel to Poothrikka is not possible because of an intervening depression. There is a proposal for storing water for the Mundakan crop for the 50 acres in Poothrikka from the water pumped out from the Aikkaranad Punja fields.

ഇരവിപുരം—ആയൂർ റോഡ്

* ൧൦൯൨. (ന്യ) ശ്രീ. പി. കുഞ്ഞുകൃഷ്ണൻ: താഴെ പറയുന്ന ചോദ്യങ്ങൾക്ക് ബഹുമാനപ്പെട്ട ചീഫ് മിനിസ്റ്റർ സദയം മറുപടി നല്കുമോ.—

(എ) കൊല്ലം സെക്ഷനിൽപ്പെട്ട ഗവണ്മെൻറ അംഗീകരിച്ചിട്ടുള്ള ഇരവിപുരം—ആയൂർ റോഡ് സഞ്ചാരയോഗ്യമാക്കിത്തീർക്കണമെന്ന കാണിച്ച് ഗവണ്മെൻറിലേക്ക് എന്തെങ്കിലും നിവേദനങ്ങൾ ലഭിച്ചിട്ടുണ്ടോ;

(ബി) പ്രസ്തുതറോഡിൻറെ പണി പൂർത്തിയാക്കണമെന്ന കഴിഞ്ഞകൊല്ലവും ഇക്കൊല്ലവും പി. ഡബ്ല്യു. ഡി. വർക്സ് കമ്മിറ്റി ശുപാർശ ചെയ്തിട്ടുണ്ടോ;

(സി) അതിനെപ്പറ്റി എന്തു നടപടി നടത്തി?

ചീഫ് മിനിസ്റ്റർ (ശ്രീ. സി. കേശവൻ):

(എ) ഉണ്ട്.

LIBRARY ARCHIVES Kerala Legislative Assembly